

LED Downlight WAVE

3-white




Three light color choice.
One downlight.





Classification_____



Dimensions_____



Photometric Data



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm
11441	LED Downlight WAVE R70	7W	660/700/700	68-80	95 x 58
11465	LED Downlight WAVE R92	10W	950/1000/1000	90-102	113 x 59
11489	LED Downlight WAVE R130	14W	1330/1400/1400	120-130	145 x 66
11502	LED Downlight WAVE R150	17W	1600/1700/1700	145-155	174 x 69
11526	LED Downlight WAVE R205	25W	2400/2500/2500	195-210	244 x 85

Dimmable

Dimming Function



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm
36611	LED Downlight WAVE R70 DIMM	7W	660/700/700	68-80	95 x 58
36635	LED Downlight WAVE R92 DIMM	10W	950/1000/1000	90-102	113 x 59
36482	LED Downlight WAVE R150 DIMM	17W	1600/1700/1700	145-155	174 x 69
36505	LED Downlight WAVE R205 DIMM	25W	2400/2500/2500	195-210	244 x 85

Cover INOX for WAVE




SKU	Model	Dimensions
23383	Cover INOX for WAVE R92 10W	Ø 113
23369	Cover INOX for WAVE R150 17W	Ø 174
23376	Cover INOX for WAVE R205 25W	Ø 244




Classification



Kelvin



Dimensions



Dimming Function





TRIAC
0-10V option

LED Downlight *CYCLONE* 3-white



Three light color choice.
One downlight.

Photometric Data



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm
11540	LED Downlight CYCLONE R168	20W	1600/1800/1800	168-178	200 x 68
11564	LED Downlight CYCLONE R192	30W	2700/3000/3000	192-210	230 x 75
11588	LED Downlight CYCLONE R240	40W	3600/3900/3900	240-255	279 x 94


Dimmable

SKU	Model	EQ. Watts	Dimmable	Cut out mm	A x B mm
15814	LED Downlight CYCLONE R168 DIMM	20W	TRIAC	168-178	200 x 68
15852	LED Downlight CYCLONE R192 DIMM	30W	TRIAC	192-210	230 x 75

LED Panel CAPRI R Back Light



Photometric Data




h45mm - 6W, 12W, 18W




h25mm - 3W, 24W, 30W

Classification



Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	Cut out mm	A x B mm
13001	LED Panel CAPRI R95	3W	300	3000K	Ø 85	Ø 95x25
04023	LED Panel CAPRI R95	3W	300	4500K	Ø 85	Ø 95x25
09349	LED Panel CAPRI R95	3W	300	6000K	Ø 85	Ø 95x25
13025	LED Panel CAPRI R110	6W	600	3000K	Ø 98	Ø 110x45
01916	LED Panel CAPRI R110	6W	600	4500K	Ø 98	Ø 110x45
09363	LED Panel CAPRI R110	6W	600	6000K	Ø 98	Ø 110x45
13049	LED Panel CAPRI R150	12W	1200	3000K	Ø 138	Ø 150x45
09387	LED Panel CAPRI R150	12W	1200	4500K	Ø 138	Ø 150x45
09400	LED Panel CAPRI R150	12W	1200	6000K	Ø 138	Ø 150x45
13063	LED Panel CAPRI R180	18W	1800	3000K	Ø 160	Ø 175x45
09424	LED Panel CAPRI R180	18W	1800	4500K	Ø 160	Ø 175x45
09448	LED Panel CAPRI R180	18W	1800	6000K	Ø 160	Ø 175x45
13087	LED Panel CAPRI R180	24W	2400	3000K	Ø 160	Ø 175x25
09462	LED Panel CAPRI R180	24W	2400	4500K	Ø 160	Ø 175x25
09486	LED Panel CAPRI R180	24W	2400	6000K	Ø 160	Ø 175x25
14657	LED Panel CAPRI R225	30W	3000	3000K	Ø 205	Ø 225x25
09509	LED Panel CAPRI R225	30W	3000	4500K	Ø 205	Ø 225x25
23499	LED Panel CAPRI R225	30W	3000	6000K	Ø 205	Ø 225x25

Classification



25 000 hrs



A+



IP20

Beam Angle
110°CRI
≥80PF
>0.5Voltage
AC230VBody Type
AL/PCCircular
mounting
hole**BOX**


3/6W 40pcs

BOX


12/18W 30pcs

Kelvin
3000K
4000K

Dimensions

LED Panel FSL 1106 R
Side Light

Photometric Data



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm
22980	LED Panel FSL 1106 R 3W	3W	170	Ø 75	Ø 84 x 30
22973	LED Panel FSL 1106 R 3W	3W	170	Ø 75	Ø 84 x 30
22997	LED Panel FSL 1106 R 6W	6W	420	Ø 110	Ø 119 x 11
22928	LED Panel FSL 1106 R 6W	6W	420	Ø 110	Ø 119 x 11
22942	LED Panel FSL 1106 R 12W	12W	850	Ø 160	Ø 173 x 11
22935	LED Panel FSL 1106 R 12W	12W	850	Ø 160	Ø 173 x 11
22966	LED Panel FSL 1106 R 18W	18W	1400	Ø 215	Ø 223 x 11
22959	LED Panel FSL 1106 R 18W	18W	1400	Ø 215	Ø 223 x 11

Classification



25 000 hrs



A+



IP20

Beam Angle
110°CRI
≥80PF
>0.5Voltage
AC230VBody Type
AL/PCRectangular
mounting
hole**BOX**


3/6W 40pcs

BOX


12/18W 30pcs

Kelvin
3000K
4000K

Dimensions

LED Panel FSL 1106 S
Side Light

Photometric Data



SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm
23055	LED Panel FSL 1106 S 3W	3W	170	75x75	85x85x30
23048	LED Panel FSL 1106 S 3W	3W	170	75x75	85x85x30
23079	LED Panel FSL 1106 S 6W	6W	420	110x110	120x120x11
23062	LED Panel FSL 1106 S 6W	6W	420	110x110	120x120x11
23017	LED Panel FSL 1106 S 12W	12W	850	160x160	172x172x11
23000	LED Panel FSL 1106 S 12W	12W	850	160x160	172x172x11
23031	LED Panel FSL 1106 S 18W	18W	1400	210x210	225x225x11
23024	LED Panel FSL 1106 S 18W	18W	1400	210x210	225x225x11

LED Panel Multi Side Light



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm
12554	LED Panel Multi 6W	6W	570	50-100	Ø 100x20
12578	LED Panel Multi 8W	8W	760	50-100	Ø 115x20
12592	LED Panel Multi 15W	15W	1425	50-160	Ø 175x20
12615	LED Panel Multi 20W	20W	1900	50-200	Ø 230x20




Classification



BOX **BOX** **BOX**
6/8W 100pcs 15W 40pcs 20W 20pcs

Dimensions



LED Downlights HILUX FTS



HILUX FTS 5W Wh R



HILUX FTS 5W Wh S



SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm
23178	LED Downlights HILUX FTS R	5W	500	Ø 75	Ø 85x55
23192	LED Downlights HILUX FTS S	5W	500	Ø 75	92x92x55




Classification




BOX **BOX** **BOX**
60 pcs 4500K Circular mounting hole


Dimensions



Classification



Dimensions


LED Stair Light
Surface MountingLED Stair
Light IP20LED Stair
Light IP65

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm
14534	LED Stair Light IP20 white	2W	160	86 x 86	90x90x43
14558	LED Stair Light IP65 black	2W	160	74 x 74	85x85x45

Classification




Dimensions


LED Stair Light
Surface MountingLED Stair
Light 08LED Stair
Light 09LED Stair
Light 06LED Stair
Light 04

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm
37274	LED Stair Light 08 3W	3W	300		60x60x53,5
37281	LED Stair Light 09 3W	3W	300		60x60x53,5
37298	LED Stair Light 06 3W	3W	300		60x60x53,5
37304	LED Stair Light 04 3W	3W	300		Ø 60 x 58,5

Classification



Dimensions

LED Stair Light QJ
Surface Mounting

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm
07086	LED Stair Light QJ IP65	3W	240	100 x 38	110x45x45

Classification_____



LED Emergency Light EXIT Glass



SKU	Model	EQ.Watts	Dimensions mm
15937	LED Emergency Light EXIT Glass	3W	330x182x40
15975	LED Emergency Light EXIT Glass Right	3W	330x182x40
16019	LED Emergency Light EXIT Glass Left	3W	330x182x40

Classification_____



LED Emergency Light EXIT



Note: The lighting fixtures have one and two faces.

SKU	Model	EQ.Watts	Dimensions mm
31364	LED Emergency Light EXIT	3W	330x145x25
31388	LED Emergency Light EXIT Right	3W	330x145x25
31371	LED Emergency Light EXIT Left	3W	330x145x25
31395	LED Emergency Light EXIT Down	3W	330x145x25
31401	LED Emergency Light EXIT 2F	3W	330x145x25
31425	LED Emergency Light EXIT 2F Right	3W	330x145x25
31418	LED Emergency Light EXIT 2F Left	3W	330x145x25
31432	LED Emergency Light EXIT 2F Down	3W	330x145x25
18167	LED Emergency Light EXIT 2F Option	3W	330x145x25

Classification_____



LED Emergency Light EXIT 2F




Note: The lighting fixtures have two faces.

SKU	Model	EQ.Watts	Dimensions mm
16309	LED Emergency Light EXIT 2F	6W	600x200x25
16323	LED Emergency Light EXIT 2F Right	6W	600x200x25
16347	LED Emergency Light EXIT 2F Left	6W	600x200x25

Classification



Dimensions



LED Underground lamp TERRA UB 230V IP67




Light
TOP QUALITY PRODUCTS BY **2R**




SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out
22386	LED TERRA UB126 6W	6W	600	Ø116	Ø102x74x150
22393	LED TERRA UB129 12W	12W	1200	Ø173	Ø155x163x220
22416	LED TERRA UB170 18W	18W	1800	Ø210	Ø179x177x220
22423	LED TERRA UB173 25W	25W	2500	Ø250	Ø222x218x220

Classification



Dimensions



LED Underground lamp TERRA UB 24V IP67



SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out
22409	LED TERRA UB134 0.5W	0.5W	50	Ø 45	Ø 42x67x83
22430	LED TERRA UB607 1.5W	1.5W	150	Ø 65	Ø 42x67x83

Classification



Dimensions



LED Underground lamp TERRA UB Line 24V IP67



SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out
22447	LED TERRA UB Line357	6W	600	195x63x65	180x58x90
22454	LED TERRA UB Line657	12W	1200	328x63x65	313x58x90

LED Strip Light 12V 3528 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04542	LED Strip Light 3528 2700K	4.8W	240	2700K	8 mm	50 mm
04566	LED Strip Light 3528 4000K	4.8W	240	4000K	8 mm	50 mm
04528	LED Strip Light 3528 6000K	4.8W	240	6000K	8 mm	50 mm
08151	LED Strip Light 3528 yellow	4.8W	240	yellow	8 mm	50 mm
04481	LED Strip Light 3528 green	4.8W	240	green	8 mm	50 mm
04504	LED Strip Light 3528 red	4.8W	240	red	8 mm	50 mm
04467	LED Strip Light 3528 blue	4.8W	240	blue	8 mm	50 mm

Classification



LED Strip Light 12V 3528 60pcs/m IP54



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04603	LED Strip Light 3528 2700K	4.8W	240	2700K	8 mm	50 mm
04627	LED Strip Light 3528 4000K	4.8W	240	4000K	8 mm	50 mm
04580	LED Strip Light 3528 6000K	4.8W	240	6000K	8 mm	50 mm
08175	LED Strip Light 3528 yellow	4.8W	240	yellow	8 mm	50 mm
04665	LED Strip Light 3528 green	4.8W	240	green	8 mm	50 mm
04689	LED Strip Light 3528 red	4.8W	240	red	8 mm	50 mm
04641	LED Strip Light 3528 blue	4.8W	240	blue	8 mm	50 mm

Classification



LED Strip Light 12V 3528 120pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04702	LED Strip Light 3528 2700K	9,6 W	480	2700K	8 mm	25 mm
04726	LED Strip Light 3528 4000K	9,6 W	480	4000K	8 mm	25 mm
04740	LED Strip Light 3528 6000K	9,6 W	480	6000K	8 mm	25 mm

Classification



LED Strip Light 12V 5050 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04801	LED Strip Light 5050 2700K	14,4 W	576	2700K	8 mm	50 mm
04788	LED Strip Light 5050 4000K	14,4 W	576	4000K	8 mm	50 mm
04764	LED Strip Light 5050 6000K	14,4 W	576	6000K	8 mm	50 mm

Classification



Classification_____



500 m



LED Strip Light 12V RGB 5050 IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04825	LED Strip Light 30pcs RGB 5050 7.2 W	360	RGB	10 mm	50 mm	
04849	LED Strip Light 60pcs RGB 5050 14.4 W	720	RGB	10 mm	50 mm	

Classification_____



500 m



LED Strip Light 12V RGB 5050 IP54



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
04863	LED Strip Light 30pcs RGB 5050 7.2 W	360	RGB	10 mm	50 mm	
04887	LED Strip Light 60pcs RGB 5050 14.4 W	720	RGB	10 mm	50 mm	

Classification_____



500 m



LED Strip Light 12V 2835 S-TYPE



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
84476	LED Strip Light 2835 S-TYPE	4.8W	240	2700K	8 mm	50 mm
84490	LED Strip Light 2835 S-TYPE	4.8W	240	4000K	8 mm	50 mm
84513	LED Strip Light 2835 S-TYPE	4.8W	240	6000K	8 mm	50 mm

Classification_____



500 m



LED Strip Light 12V 2835 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
08298	LED Strip Light 2835 2700K	4.8W	240	2700K	8 mm	50 mm
04924	LED Strip Light 2835 4000K	4.8W	240	4000K	8 mm	50 mm
04900	LED Strip Light 2835 6000K	4.8W	240	6000K	8 mm	50 mm

Classification_____



500 m



LED Strip Light 12V 5730 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable
08199	LED Strip Light 5730 2700K	15 W	750	2700K	10 mm	25 mm
08212	LED Strip Light 5730 4000K	15 W	750	4000K	10 mm	25 mm
08236	LED Strip Light 5730 6000K	15 W	750	6000K	10 mm	25 mm

LED Strip Light 230V 2835 60pcs/m IP54



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable
04948	LED Strip Light 2835 3000K	14.4 W	720	RGB	10 mm	1000mm
04962	LED Strip Light 2835 6000K	14.4 W	720	RGB	10 mm	1000mm

Classification



LED Strip Light 230V 5050 60pcs/m IP54



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable
04986	LED Strip Light 5050 3000K	14.4 W	720	RGB	10 mm	1000mm
05006	LED Strip Light 5050 6000K	14.4 W	720	RGB	10 mm	1000mm

Classification



Connector for LSL 230V



SKU	Model
20832	Connector for LSL 2835 230V
20825	Connector for LSL 5050 230V

Classification



LED Strip Light DC24V 5050 60pcs/m IP20



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable
10352	LED Strip Light 5050 2700K	14.4 W	720	2700K	10 mm	100 mm
10390	LED Strip Light 5050 6000K	14.4 W	720	6000K	10 mm	100 mm
10475	LED Strip Light RGB 5050	14.4 W	720	RGB	10 mm	100 mm

Classification



LED Strip Light DC24V 3528 60pcs/m IP20



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable
10437	LED Strip Light 3528 2700K	4.8 W	240	2700K	10 mm	50 mm
10451	LED Strip Light 3528 4000K	4.8 W	240	4000K	10 mm	50 mm
10413	LED Strip Light 3528 6000K	4.8 W	240	6000K	10 mm	50 mm

Classification

